

Appln. No.: 10/540,785
Amendment Dated September 20, 2007
Reply to Office Action of June 20, 2007

SUGI-102US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appln. No: 10/540,785
Applicant: Atsushi Miyake et al.
Filed: June 27, 2005
Title: ESTIMATING APPARATUS AND METHOD OF OPTICAL DISTORTION
OF PLATE MEMBER
TC/A.U.: 2886
Examiner: Jonathon Cook
Confirmation No.: 2095
Docket No.: SUGI-102US

AMENDMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Responsive to the Office Action dated June 20, 2007, please amend the above-identified application as follows:

- ☒ **Amendments to the Specification** begin on page 2 of this paper.
- ☒ **Amendments to the Claims** are reflected in the listing of claims which begins on page 3 of this paper.
- ☐ **Amendments to the Drawings** begin on page _____ of this paper and include an attached replacement sheet(s).
- ☐ **Amendments to the Abstract** are on page _____ of this paper. A clean version of the Abstract is on page _____ of this paper.
- ☒ **Remarks/Arguments** begin on page 9 of this paper.